

SPECIALSTEELSTOCK

QUALITY AVAILABILITY TECHNICAL SUPPORT

Headquarter: Via Lago Maggiore, 7 36015 SCHIO (VI) ITALY C.F. e P.IVA/VAT IT No. 00491490249 Share Capital € 1.000.000 f.p.
Plates warehouse: Via Lago Maggiore, 5 Long products warehouse: Via Lago Maggiore, 9-11

4000 TONS IN STOCK

Duplex UNS S31803/S32205 (1.4462 - F51/F60)
Super Duplex UNS S32760 (1.4501 - F55)
Super Duplex UNS S32750 (1.4410 - F53)
Austenitic UNS S20910 (1.3964 – XM19 SA / HR / HS)
Super Austenitic UNS S31254 (1.4547- F44)
Super Austenitic UNS N08904 (1.4539 - 904L)
17-4-PH AISI 630 UNS S17400 (1.4542)
Alloy 625 UNS N06625 (2.4856)
Alloy 718 UNS N07718 (2.4668)
Alloy 825 UNS N08825 (2.4858)
Alloy C22 UNS N06022 (2.4602)
Alloy C276 UNS N10276 (2.4819)
Alloy 600 UNS N06600 (2.4816)
Alloy 800H UNS N08810 (1.4876)
Alloy 330 UNS N08330 (1.4886)

CERTIFICATIONS: ASTM – EN – NORSOK – NACE – WN – PED - API 6A - API6D

TEST ON REQUEST: ADDITIONAL TESTS AND RE-CERTIFICATION BY A THIRD PARTY BODY

ROUND BARS: In commercial dimensions, cut to size or directly from steelmill at special price and delivery conditions.

PLATES: In commercial dimensions, cut to size or according to drawing (cut by **PLASMA, WATERJET, LASER**) or directly from steelmill at special price and delivery conditions.

ON REQUEST

FLANGES, FITTINGS AND PIECES ACCORDING TO DRAWING, also finished and machined.

WELDED ELBOWS from plate up to 20" (Ø 508 mm), also to ASTM A815 and A403.

WELDED PIPES calendered, calibrated and radiographed. Also to ASTM A790 (thk.>3 mm, Ø>88,3 mm)

For info and enquiries Ph.: + 39-0445-579826 - E-mail : info@specialsteelstock.com

www.specialsteelstock.com

ROUND BARS

DUPLEX UNS S31803/F51– UNS S32205/F60 – 1.4462 – X2CrNiMoN22.5.3

Ø 12 mm	Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 160 mm	Ø 203,2 mm	Ø 270 mm	Ø 365 mm
Ø 16 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 165 mm	Ø 212 mm	Ø 285 mm	Ø 380 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 125 mm	Ø 170 mm	Ø 222 mm	Ø 302 mm	Ø 400 mm
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 130 mm	Ø 175 mm	Ø 230 mm	Ø 315 mm	Ø 425 mm
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 240 mm	Ø 325 mm	Ø 450 mm
Ø 35 mm	Ø 70 mm	Ø 105 mm	Ø 150 mm	Ø 185 mm	Ø 250 mm	Ø 335 mm	Ø 475 mm
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 155 mm	Ø 190 mm	Ø 260 mm	Ø 350 mm	Ø 500 mm

SUPERDUPLEX UNS S32760 / F55 – 1.4501 – X2CrNiMoCuWN25.7.4

Ø 12,7 mm	Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 165 mm	Ø 230 mm	Ø 315 mm	Ø 475 mm
Ø 15,88 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 170 mm	Ø 240 mm	Ø 335 mm	Ø 500 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 250 mm	Ø 350 mm	
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	Ø 375 mm	
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	Ø 400 mm	
Ø 35 mm	Ø 70 mm	Ø 105 mm	Ø 155 mm	Ø 212 mm	Ø 287 mm	Ø 425 mm	
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 160 mm	Ø 222 mm	Ø 302 mm	Ø 450 mm	

SUPERDUPLEX UNS S32750 / F53 – 1.4410 – X2CrNiMoN25.7.4

Ø 15,88 mm	Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 165 mm	Ø 230 mm	Ø 315 mm	Ø 475 mm
Ø 20 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 170 mm	Ø 240 mm	Ø 335 mm	Ø 500 mm
Ø 25 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 250 mm	Ø 350 mm	
Ø 30 mm	Ø 60 mm	Ø 95 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	Ø 375 mm	
Ø 35 mm	Ø 65 mm	Ø 100 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	Ø 400 mm	
Ø 40 mm	Ø 70 mm	Ø 105 mm	Ø 155 mm	Ø 212 mm	Ø 287 mm	Ø 425 mm	
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 160 mm	Ø 222 mm	Ø 302 mm	Ø 450 mm	

AUSTENITIC UNS S20910 – XM-19 – X2CrNiMnMoNNb21.16.5.3-Nitronic 50® S.A.

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 100 mm	Ø 130 mm	Ø 170 mm	Ø 210 mm	Ø 275 mm
Ø 15,88 mm	Ø 40 mm	Ø 65 mm	Ø 110 mm	Ø 135 mm	Ø 175 mm	Ø 220 mm	Ø 300 mm
Ø 20 mm	Ø 45 mm	Ø 70 mm	Ø 115 mm	Ø 140 mm	Ø 180 mm	Ø 230 mm	Ø 350 mm
Ø 25 mm	Ø 50 mm	Ø 75 mm	Ø 120 mm	Ø 150 mm	Ø 190 mm	Ø 240 mm	Ø 400 mm
Ø 30 mm	Ø 55 mm	Ø 80 mm	Ø 125 mm	Ø 160 mm	Ø 203,2 mm	Ø 250 mm	

AUSTENITIC UNS S20910 –XM-19– X2CrNiMnMoNNb21.16.5.3-Nitronic 50® HR - HS

Ø 15,88 mm	Ø 25,4 mm	Ø 35 mm	Ø 45 mm	Ø 55 mm	Ø 70 mm	Ø 90 mm	Ø 114,3 mm
Ø 22,22 mm	Ø 30 mm	Ø 40 mm	Ø 50 mm	Ø 60 mm	Ø 80 mm	Ø 101,6 mm	Ø 120 mm

SUPER AUSTENITIC UNS S31254 / F44 – 1.4547– X1CrNiMoCuN20.18.7 – 254SMO

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 235 mm	Ø 350 mm
Ø 16 mm	Ø 40 mm	Ø 65 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 250 mm	Ø 400 mm
Ø 20 mm	Ø 45 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	
Ø 25 mm	Ø 50 mm	Ø 75 mm	Ø 115 mm	Ø 160 mm	Ø 212 mm	Ø 302 mm	
Ø 30 mm	Ø 55 mm	Ø 80 mm	Ø 120 mm	Ø 170 mm	Ø 222 mm	Ø 325 mm	

SUPER AUSTENITIC 904L - UNS N08904 – 1.4539 – X1NiCrMoCu25.20.5

Ø 20mm	Ø 40 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 200 mm	Ø 260 mm	Ø 375 mm
Ø 25 mm	Ø 50 mm	Ø 90 mm	Ø 130 mm	Ø 170 mm	Ø 210 mm	Ø 280 mm	Ø 400 mm
Ø 30 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 230 mm	Ø 300 mm	
Ø 35 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 190 mm	Ø 250 mm	Ø 350 mm	

ROUND BARS

17-4PH H1150D UNS S17400 – 1.4542 AISI 630 – X5CrNiCuNb 16-4

Ø 20 mm	Ø 50 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 215 mm	Ø 302 mm	
Ø 30 mm	Ø 60 mm	Ø 85 mm	Ø 130 mm	Ø 170 mm	Ø 235 mm	Ø 350 mm	
Ø 40 mm	Ø 70 mm	Ø 90 mm	Ø 140 mm	Ø 185 mm	Ø 250 mm	Ø 400 mm	
Ø 45 mm	Ø 75 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm		

ALLOY 625 UNS N06625 – 2.4856 – NiCr22Mo9Nb

Ø 10 mm	Ø 31,75 mm	Ø 65 mm	Ø 101,8 mm	Ø 140 mm	Ø 180 mm	Ø 225 mm	Ø 300 mm
Ø 12,7 mm	Ø 35 mm	Ø 69,85 mm	Ø 105 mm	Ø 145 mm	Ø 185 mm	Ø 230 mm	Ø 315 mm
Ø 15,88 mm	Ø 38,1 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 190 mm	Ø 235 mm	Ø 325 mm
Ø 19,05 mm	Ø 40 mm	Ø 75 mm	Ø 115 mm	Ø 155 mm	Ø 200 mm	Ø 240 mm	Ø 350 mm
Ø 20 mm	Ø 45 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 205 mm	Ø 250 mm	Ø 375 mm
Ø 22 mm	Ø 50,8 mm	Ø 85 mm	Ø 125 mm	Ø 165 mm	Ø 210 mm	Ø 262 mm	Ø 400 mm
Ø 25,4 mm	Ø 55 mm	Ø 92,55 mm	Ø 130 mm	Ø 170 mm	Ø 215 mm	Ø 270 mm	
Ø 30 mm	Ø 60 mm	Ø 95 mm	Ø 135 mm	Ø 175 mm	Ø 220 mm	Ø 285 mm	

ALLOY 718 UNS N07718 – 2.4668 – NiCr19NbMo

Ø 12,7 mm	Ø 30 mm	Ø 45 mm	Ø 76,2 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm
Ø 15,88 mm	Ø 31,75 mm	Ø 50 mm	Ø 80 mm	Ø 114,3 mm	Ø 155 mm	Ø 210 mm	Ø 300 mm
Ø 19,05 mm	Ø 35 mm	Ø 57,15 mm	Ø 82,55 mm	Ø 120 mm	Ø 160 mm	Ø 220 mm	Ø 350 mm
Ø 20 mm	Ø 38,1 mm	Ø 60 mm	Ø 90 mm	Ø 125 mm	Ø 170 mm	Ø 230 mm	Ø 400 mm
Ø 22 mm	Ø 40 mm	Ø 63,5 mm	Ø 95,25 mm	Ø 130 mm	Ø 180 mm	Ø 252 mm	
Ø 25,4 mm	Ø 41,28 mm	Ø 70 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	

ALLOY 825 UNS N08825 – 2.4858 – NiCr21Mo

Ø 12 mm	Ø 35 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 240 mm	Ø 300 mm
Ø 16 mm	Ø 40 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 200 mm	Ø 250 mm	Ø 330 mm
Ø 20 mm	Ø 45 mm	Ø 75 mm	Ø 114,3 mm	Ø 160 mm	Ø 210 mm	Ø 265 mm	
Ø 25 mm	Ø 50 mm	Ø 80 mm	Ø 120 mm	Ø 170 mm	Ø 222 mm	Ø 275 mm	
Ø 32 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 230 mm	Ø 280 mm	

ALLOY C22 UNS N06022 – 2.4602 – NiCr21Mo14W

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 101,6 mm	Ø 152,4 mm	Ø 190 mm	Ø 240 mm	
Ø 20 mm	Ø 40 mm	Ø 70 mm	Ø 115 mm	Ø 165,1 mm	Ø 200 mm	Ø 250 mm	
Ø 25 mm	Ø 45 mm	Ø 80 mm	Ø 120 mm	Ø 185 mm	Ø 222 mm		
Ø 30 mm	Ø 50 mm	Ø 90 mm	Ø 130 mm	Ø 203,2 mm	Ø 230 mm		

ALLOY C276 UNS N10276 – 2.4819 – NiMo16Cr15W

Ø 12,7 mm	Ø 25,4 mm	Ø 40 mm	Ø 60 mm	Ø 80 mm	Ø 120 mm	Ø 150 mm	Ø 203,2 mm
Ø 19,05 mm	Ø 30 mm	Ø 44,45 mm	Ø 70 mm	Ø 90 mm	Ø 130 mm	Ø 160 mm	Ø 230 mm
Ø 22,22 mm	Ø 35 mm	Ø 50 mm	Ø 76,2 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 275 mm

PLATES

DUPLEX UNS S31803 – 1.4462 – X2CrNiMoN22.5.3 – UNS S32205

Thk. 2 mm	Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 45 mm	Thk. 65 mm	Thk. 85 mm
Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm	Thk. 70 mm	Thk. 90 mm
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 37,5 mm	Thk. 55 mm	Thk. 75 mm	Thk. 95 mm
Thk. 5 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 40 mm	Thk. 60 mm	Thk. 80 mm	Thk. 100 mm

SUPERPERDUPLEX UNS S32760 – 1.4501 – X2CrNiMoCuWN25.7.4

Thk. 3 mm	Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 50 mm	Thk. 80 mm	
Thk. 4 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 55 mm	Thk. 90 mm	
Thk. 5 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 100 mm	
	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm		

SUPERDUPLEX UNS S32750 – 1.4410 – X2CrNiMoN25.7.4 – SAF2507

Thk. 2 mm	Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 50 mm	Thk. 80 mm	
Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 55 mm	Thk. 90 mm	
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 100 mm	
Thk. 5 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm		

SUPER AUSTENITIC UNS S31254 – 1.4547 – X1CrNiMoCuN20.18.7 – 254SMO–6Moly

Thk. 2 mm	Thk. 5 mm	Thk. 9,52 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm	Thk. 80 mm
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	

SUPER AUSTENITIC 904L - UNS N08904 – 1.4539 – X1NiCrMoCu25.20.5

Thk. 2 mm	Thk. 5 mm	Thk. 10 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 65 mm	
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 25 mm	Thk. 40 mm		
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 50 mm		

ALLOY 625 UNS N06625 – 2.4856 – NiCr22Mo9Nb

Thk. 2 mm	Thk. 5 mm	Thk. 10 mm	Thk. 15 mm	Thk. 25 mm	Thk. 40 mm	Thk. 55 mm	Thk. 70 mm
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 30 mm	Thk. 45 mm	Thk. 60 mm	Thk. 75 mm
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 35 mm	Thk. 50 mm	Thk. 65 mm	

ALLOY 825 UNS N08825 – 2.4858 – NiCr21Mo

Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 40 mm	Thk. 70 mm	
Thk. 4 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 31,75 mm	Thk. 50 mm		
Thk. 5 mm	Thk. 10 mm	Thk. 17,5 mm	Thk. 30 mm	Thk. 35 mm	Thk. 60 mm		

ALLOY C22 UNS N06022 – 2.4602 – NiCr21Mo14W

Thk. 2 mm	Thk. 4 mm	Thk. 6,35 mm	Thk. 8 mm	Thk. 12,7 mm	Thk. 20 mm	Thk. 31,7 mm	Thk. 50,8 mm
Thk. 3 mm	Thk. 4,76 mm	Thk. 7,92 mm	Thk. 10 mm	Thk. 15,8 mm	Thk. 25,4 mm	Thk. 38,1 mm	

ALLOY C276 UNS N10276 – 2.4819 – NiMo16Cr15W

Thk. 3 mm	Thk. 4,76 mm	Thk. 8 mm	Thk. 12 mm	Thk. 15 mm	Thk. 25 mm	Thk. 38,1 mm	
Thk. 4 mm	Thk. 6 mm	Thk. 10 mm	Thk. 13 mm	Thk. 20 mm	Thk. 30 mm	Thk. 50,8 mm	

ALLOY 600 UNS N06600 – 2.4816 – Ni72Cr16Fe8

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm		
-----------	-----------	-----------	-----------	-----------	------------	--	--

ALLOY 800H UNS N08810 – 1.4876 – Ni32.5Cr21Fe

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm	Thk. 12 mm	Thk. 15 mm
-----------	-----------	-----------	-----------	-----------	------------	------------	------------

ALLOY 330 UNS N8330 – 1.4886 – X12NiCrSi35-16

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm		
-----------	-----------	-----------	-----------	-----------	------------	--	--