

# SPECIALSTEELSTOCK<sup>CS</sup>

QUALITY AVAILABILITY TECHNICAL SUPPORT

Headquarter: Via Lago Maggiore, 7 36015 SCHIO (VI) ITALY C.F. e P.IVA/VAT IT No. 00491490249 Share Capital € 1.000.000 f.p.  
Plates warehouse: Via Lago Maggiore, 5 Long products warehouse: Via Lago Maggiore, 9-11

## 4000 TONS IN STOCK

**Duplex UNS S31803/S32205** (1.4462 - F51/F60)  
**Super Duplex UNS S32760** (1.4501 - F55)  
**Super Duplex UNS S32750** (1.4410 - F53)  
**Austenitic UNS S20910** (1.3964 – XM19 SA / HR / HS)  
**Super Austenitic UNS S31254** (1.4547- F44)  
**Super Austenitic UNS N08904** (1.4539 - 904L)  
**17-4-PH H1150D AISI 630 UNS S17400** (1.4542)  
**Alloy 625 UNS N06625** (2.4856)  
**Alloy 718 UNS N07718** (2.4668)  
**Alloy 825 UNS N08825** (2.4858)  
**Alloy C22 UNS N06022** (2.4602)  
**Alloy C276 UNS N10276** (2.4819)  
**Alloy 600 UNS N06600** (2.4816)  
**Alloy 800H UNS N08810** (1.4876)  
**Alloy 330 UNS N08330** (1.4886)

**ASTM - EN - NORSOK - NACE - WN - PED - API6A - API6D**

SU RICHIESTA PROVE AGGIUNTIVE E RICERTIFICAZIONE CON ENTE ESTERNO  
ON REQUEST ADDITIONAL TESTS AND RE-CERTIFICATION BY A THIRD PARTY BODY

**BARRE TONDE:** In dimensioni commerciali o tagliate a misura o da apposito allestimento.

**ROUND BARS:** In commercial dimensions, cut to size or directly from steelmill at special price and delivery conditions.

**LAMIERE:** Dimensioni commerciali, tagliate a misura o su disegno, taglio **PLASMA, WATERJET, LASER** o da apposito allestimento a condizioni particolari.

**PLATES:** In commercial dimensions, cut to size or according to drawing (cut by **PLASMA, WATERJET, LASER**) or directly from steelmill at special price and delivery conditions.

## SU RICHIESTA - ON REQUEST

**FLANGE, RACCORDERIA e PEZZI A DISEGNO - FLANGES, FITTINGS AND PIECES ACCORDING TO DRAWING**

**CURVE SALDATE - WELDED ELBOWS**

**TUBI SALDATI - WELDED TUBES**

Ph: +39-0445-579826 - E-mail : [info@specialsteelstock.com](mailto:info@specialsteelstock.com)

**[www.specialsteelstock.com](http://www.specialsteelstock.com)**

## BARRE TONDE - ROUND BARS

### DUPLEX UNS S31803/F51– UNS S32205/F60 – 1.4462 – X2CrNiMoN22.5.3

Ø 12 mm	Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 160 mm	Ø 203,2 mm	Ø 270 mm	Ø 365 mm
Ø 16 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 165 mm	Ø 212 mm	Ø 285 mm	Ø 380 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 125 mm	Ø 170 mm	Ø 222 mm	Ø 302 mm	Ø 400 mm
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 130 mm	Ø 175 mm	Ø 230 mm	Ø 315 mm	Ø 425 mm
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 240 mm	Ø 325 mm	Ø 450 mm
Ø 35 mm	Ø 70 mm	Ø 105 mm	Ø 150 mm	Ø 185 mm	Ø 250 mm	Ø 335 mm	Ø 475 mm
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 155 mm	Ø 190 mm	Ø 260 mm	Ø 350 mm	Ø 500 mm

### SUPERDUPLEX UNS S32760 / F55 – 1.4501 – X2CrNiMoCuWN25.7.4

Ø 12,7 mm	Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 165 mm	Ø 230 mm	Ø 315 mm	Ø 475 mm
Ø 15,88 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 170 mm	Ø 240 mm	Ø 335 mm	Ø 500 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 250 mm	Ø 350 mm	
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	Ø 375 mm	
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	Ø 400 mm	
Ø 35 mm	Ø 70 mm	Ø 105 mm	Ø 155 mm	Ø 212 mm	Ø 287 mm	Ø 425 mm	
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 160 mm	Ø 222 mm	Ø 302 mm	Ø 450 mm	

### SUPERDUPLEX UNS S32750 / F53 – 1.4410 – X2CrNiMoN25.7.4

Ø 15,88 mm	Ø 50 mm	Ø 85 mm	Ø 120 mm	Ø 170 mm	Ø 240 mm	Ø 335 mm	Ø 500 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 250 mm	Ø 350 mm	
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	Ø 375 mm	
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	Ø 400 mm	
Ø 35 mm	Ø 70 mm	Ø 105 mm	Ø 155 mm	Ø 212 mm	Ø 287 mm	Ø 425 mm	
Ø 40 mm	Ø 75 mm	Ø 110 mm	Ø 160 mm	Ø 222 mm	Ø 302 mm	Ø 450 mm	
Ø 45 mm	Ø 80 mm	Ø 115 mm	Ø 165 mm	Ø 230 mm	Ø 315 mm	Ø 475 mm	

### AUSTENITIC UNS S20910 – XM-19 – X2CrNiMnMoNNb21.16.5.3-Nitronic 50® S.A.

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 100 mm	Ø 130 mm	Ø 170 mm	Ø 210 mm	Ø 275 mm
Ø 15,88 mm	Ø 40 mm	Ø 65 mm	Ø 110 mm	Ø 135 mm	Ø 175 mm	Ø 220 mm	Ø 300 mm
Ø 20 mm	Ø 45 mm	Ø 70 mm	Ø 115 mm	Ø 140 mm	Ø 180 mm	Ø 230 mm	Ø 350 mm
Ø 25 mm	Ø 50 mm	Ø 75 mm	Ø 120 mm	Ø 150 mm	Ø 190 mm	Ø 240 mm	Ø 400 mm
Ø 30 mm	Ø 55 mm	Ø 80 mm	Ø 125 mm	Ø 160 mm	Ø 203,2 mm	Ø 250 mm	

### AUSTENITIC UNS S20910 –XM-19– X2CrNiMnMoNNb21.16.5.3-Nitronic 50® HR - HS

Ø 15,88 mm	Ø 25,4 mm	Ø 35 mm	Ø 45 mm	Ø 55 mm	Ø 70 mm	Ø 90 mm	Ø 114,3 mm
Ø 22,22 mm	Ø 30 mm	Ø 40 mm	Ø 50 mm	Ø 60 mm	Ø 80 mm	Ø 101,6 mm	Ø 120 mm

### SUPER AUSTENITIC UNS S31254 / F44 – 1.4547– X1CrNiMoCuN20.18.7 – 254SMO®

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 235 mm	Ø 350 mm
Ø 16 mm	Ø 40 mm	Ø 65 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 250 mm	Ø 400 mm
Ø 20 mm	Ø 45 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm	
Ø 25 mm	Ø 50 mm	Ø 75 mm	Ø 115 mm	Ø 160 mm	Ø 212 mm	Ø 302 mm	
Ø 30 mm	Ø 55 mm	Ø 80 mm	Ø 120 mm	Ø 170 mm	Ø 222 mm	Ø 325 mm	

### SUPER AUSTENITIC 904L - UNS N08904 – 1.4539 – X1NiCrMoCu25.20.5

Ø 20mm	Ø 40 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 200 mm	Ø 260 mm	Ø 375 mm
Ø 25 mm	Ø 50 mm	Ø 90 mm	Ø 130 mm	Ø 170 mm	Ø 210 mm	Ø 280 mm	Ø 400 mm
Ø 30 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 230 mm	Ø 300 mm	
Ø 35 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 190 mm	Ø 250 mm	Ø 350 mm	

## BARRE TONDE - ROUND BARS

### 17-4PH H1150D UNS S17400 – 1.4542 - AISI 630 – X5CrNiCuNb 16-4

Ø 20 mm	Ø 50 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 215 mm	Ø 302 mm	
Ø 30 mm	Ø 60 mm	Ø 85 mm	Ø 130 mm	Ø 170 mm	Ø 235 mm	Ø 350 mm	
Ø 40 mm	Ø 70 mm	Ø 90 mm	Ø 140 mm	Ø 185 mm	Ø 250 mm	Ø 400 mm	
Ø 45 mm	Ø 75 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm		

### ALLOY 625 UNS N06625 – 2.4856 – NiCr22Mo9Nb

Ø 10 mm	Ø 31,75 mm	Ø 65 mm	Ø 101,8 mm	Ø 140 mm	Ø 180 mm	Ø 225 mm	Ø 300 mm
Ø 12,7 mm	Ø 35 mm	Ø 69,85 mm	Ø 105 mm	Ø 145 mm	Ø 185 mm	Ø 230 mm	Ø 315 mm
Ø 15,88 mm	Ø 38,1 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 190 mm	Ø 235 mm	Ø 325 mm
Ø 19,05 mm	Ø 40 mm	Ø 75 mm	Ø 115 mm	Ø 155 mm	Ø 200 mm	Ø 240 mm	Ø 350 mm
Ø 20 mm	Ø 45 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 205 mm	Ø 250 mm	Ø 375 mm
Ø 22 mm	Ø 50,8 mm	Ø 85 mm	Ø 125 mm	Ø 165 mm	Ø 210 mm	Ø 262 mm	Ø 400 mm
Ø 25,4 mm	Ø 55 mm	Ø 92,55 mm	Ø 130 mm	Ø 170 mm	Ø 215 mm	Ø 270 mm	
Ø 30 mm	Ø 60 mm	Ø 95 mm	Ø 135 mm	Ø 175 mm	Ø 220 mm	Ø 285 mm	

### ALLOY 718 UNS N07718 – 2.4668 – NiCr19NbMo

Ø 12,7 mm	Ø 30 mm	Ø 45 mm	Ø 76,2 mm	Ø 110 mm	Ø 150 mm	Ø 203,2 mm	Ø 275 mm
Ø 15,88 mm	Ø 31,75 mm	Ø 50 mm	Ø 80 mm	Ø 114,3 mm	Ø 155 mm	Ø 210 mm	Ø 300 mm
Ø 19,05 mm	Ø 35 mm	Ø 57,15 mm	Ø 82,55 mm	Ø 120 mm	Ø 160 mm	Ø 220 mm	Ø 350 mm
Ø 20 mm	Ø 38,1 mm	Ø 60 mm	Ø 90 mm	Ø 125 mm	Ø 170 mm	Ø 230 mm	Ø 400 mm
Ø 22 mm	Ø 40 mm	Ø 63,5 mm	Ø 95,25 mm	Ø 130 mm	Ø 180 mm	Ø 252 mm	
Ø 25,4 mm	Ø 41,28 mm	Ø 70 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 262 mm	

### ALLOY 825 UNS N08825 – 2.4858 – NiCr21Mo

Ø 12 mm	Ø 35 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 190 mm	Ø 240 mm	Ø 300 mm
Ø 16 mm	Ø 40 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 200 mm	Ø 250 mm	Ø 330 mm
Ø 20 mm	Ø 45 mm	Ø 75 mm	Ø 114,3 mm	Ø 160 mm	Ø 210 mm	Ø 265 mm	
Ø 25 mm	Ø 50 mm	Ø 80 mm	Ø 120 mm	Ø 170 mm	Ø 222 mm	Ø 275 mm	
Ø 32 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 230 mm	Ø 280 mm	

### ALLOY C22 UNS N06022 – 2.4602 – NiCr21Mo14W

Ø 12,7 mm	Ø 35 mm	Ø 60 mm	Ø 101,6 mm	Ø 152,4 mm	Ø 190 mm	Ø 240 mm	
Ø 20 mm	Ø 40 mm	Ø 70 mm	Ø 115 mm	Ø 165,1 mm	Ø 200 mm	Ø 252 mm	
Ø 25 mm	Ø 45 mm	Ø 80 mm	Ø 120 mm	Ø 185 mm	Ø 222 mm		
Ø 30 mm	Ø 50 mm	Ø 90 mm	Ø 130 mm	Ø 203,2 mm	Ø 230 mm		

### ALLOY C276 UNS N10276 – 2.4819 – NiMo16Cr15W

Ø 12,7 mm	Ø 30 mm	Ø 50 mm	Ø 80 mm	Ø 130 mm	Ø 180 mm	Ø 300 mm	
Ø 19,05 mm	Ø 35 mm	Ø 60 mm	Ø 90 mm	Ø 140 mm	Ø 203,2 mm	Ø 350 mm	
Ø 22,22 mm	Ø 40 mm	Ø 70 mm	Ø 100 mm	Ø 150 mm	Ø 230 mm		
Ø 25,4 mm	Ø 44,45 mm	Ø 76,2 mm	Ø 120 mm	Ø 160 mm	Ø 275 mm		

# LAMIÈRE - PLATES

## DUPLEX UNS S31803 – 1.4462 – X2CrNiMoN22.5.3 – UNS S32205

Thk. 2 mm	Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 45 mm	Thk. 65 mm	Thk. 85 mm
Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm	Thk. 70 mm	Thk. 90 mm
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 37,5 mm	Thk. 55 mm	Thk. 75 mm	Thk. 95 mm
Thk. 5 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 40 mm	Thk. 60 mm	Thk. 80 mm	Thk. 100 mm

## SUPERPERDUPLEX UNS S32760 – 1.4501 – X2CrNiMoCuWN25.7.4

Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 55 mm	Thk. 90 mm	
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 100 mm	
Thk. 5 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm		
Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 50 mm	Thk. 80 mm		

## SUPERDUPLEX UNS S32750 – 1.4410 – X2CrNiMoN25.7.4 – SAF2507

Thk. 2 mm	Thk. 6 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 32,5 mm	Thk. 50 mm	Thk. 80 mm	
Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 35 mm	Thk. 55 mm	Thk. 90 mm	
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 100 mm	
Thk. 5 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm		

## SUPER AUSTENITIC UNS S31254 – 1.4547 – X1CrNiMoCuN20.18.7 – 254SMO® – 6Moly

Thk. 2 mm	Thk. 5 mm	Thk. 9,52 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 45 mm	Thk. 70 mm
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm	Thk. 80 mm
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	

## SUPER AUSTENITIC 904L - UNS N08904 – 1.4539 – X1NiCrMoCu25.20.5

Thk. 2 mm	Thk. 5 mm	Thk. 10 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 65 mm	
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 25 mm	Thk. 40 mm		
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 50 mm		

## ALLOY 625 UNS N06625 – 2.4856 – NiCr22Mo9Nb

Thk. 2 mm	Thk. 5 mm	Thk. 10 mm	Thk. 15 mm	Thk. 25 mm	Thk. 40 mm	Thk. 55 mm	Thk. 70 mm
Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 30 mm	Thk. 45 mm	Thk. 60 mm	Thk. 75 mm
Thk. 4 mm	Thk. 8 mm	Thk. 13 mm	Thk. 20 mm	Thk. 35 mm	Thk. 50 mm	Thk. 65 mm	

## ALLOY 825 UNS N08825 – 2.4858 – NiCr21Mo

Thk. 3 mm	Thk. 6 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 40 mm	Thk. 70 mm	
Thk. 4 mm	Thk. 8 mm	Thk. 15 mm	Thk. 25 mm	Thk. 31,75 mm	Thk. 50 mm		
Thk. 5 mm	Thk. 10 mm	Thk. 17,5 mm	Thk. 30 mm	Thk. 35 mm	Thk. 60 mm		

## ALLOY C22 UNS N06022 – 2.4602 – NiCr21Mo14W

Thk. 2 mm	Thk. 4 mm	Thk. 6,35 mm	Thk. 8 mm	Thk. 12,7 mm	Thk. 20 mm	Thk. 31,7 mm	Thk. 50,8 mm
Thk. 3 mm	Thk. 4,76 mm	Thk. 7,92 mm	Thk. 10 mm	Thk. 15,8 mm	Thk. 25,4 mm	Thk. 38,1 mm	

## ALLOY C276 UNS N10276 – 2.4819 – NiMo16Cr15W

Thk. 3 mm	Thk. 4,76 mm	Thk. 8 mm	Thk. 12 mm	Thk. 15 mm	Thk. 25 mm	Thk. 38,1 mm	
Thk. 4 mm	Thk. 6 mm	Thk. 10 mm	Thk. 13 mm	Thk. 20 mm	Thk. 30 mm	Thk. 50,8 mm	

## ALLOY 600 UNS N06600 – 2.4816 – Ni72Cr16Fe8

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm		
-----------	-----------	-----------	-----------	-----------	------------	--	--

## ALLOY 800H UNS N08810 – 1.4876 – Ni32.5Cr21Fe

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm	Thk. 12 mm	Thk. 15 mm
-----------	-----------	-----------	-----------	-----------	------------	------------	------------

## ALLOY 330 UNS N08330 – 1.4886 – X12NiCrSi35-16

Thk. 3 mm	Thk. 4 mm	Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm		
-----------	-----------	-----------	-----------	-----------	------------	--	--